




















INSULATED AND NON INSULATED BASES



BASE NAME	Reference	Available Dimensions Roof Version	Available Dimensions Version base + Adapter plate	Inside Dimensions Lower opening size		Inside Dimensions Top opening size		Bases Outside Dimensions		Cover Side Bottom		Height H (mm)	Cover Side		Top Water flow width R (mm)	TRIMMER-JOIST Dimensions	
				CA (mm)	CB (mm)	DB (mm)	DB (mm)	A (mm)	B (mm)	F (mm)	G (mm)		I (mm)	K (mm)		CHA (mm)	CHB (mm)
STEEL BASE PROFILE																	
ASTRON PR (3.32.900)	PR		100 x 100	1000	1000	1090	1090	1800	1640	220	275	200	350	350	40	1090	1392.5
	PR		140 x 140	1400	1400	1510	1510	1800	2035	210	250	200	150	150	40	1510	1805
	PR	100 x 200		2000	1000	2140	1140	2700	1700	240	230	300	280	280	76	2140	1465
COBACIER 1004 (40.1000/4)	1004	100 x 100	Yes	1000	1000	1140	1140	2000	1670	225	215	300	425	425	76	1140	1450
	1004	120 x 120	Yes	1200	1200	1340	1340	2000	1875	225	205	300	330	330	76	1340	1660
	1004	140 x 140	Yes	1400	1400	1540	1540	2000	2060	200	215	300	225	225	76	1540	1852.5
	1004	160 x 160	Yes	1600	1600	1740	1740	2000	2280	225	220	300	120	120	76	1740	2057.5
	1004	070 x 100	Yes	700	1000	750	1050	995	1630	240	280	185	155	120	60	750	1370
	1004	100 x 150	Yes	1500	1000	1640	1140	2000	1680	215	230	300	180	180	76	1640	1457.5
COBACIER 103 (41.1041/3)	1004	100 x 200		2000	1000	2140	1140	3000	1675	215	220	300	425	425	76	2140	1457.5
	103	120 x 120		1200	1200	1340	1340	2100	1995	270	290	300	380	380	76	1340	1715
HAIRONVILLE (8.125.25 T)	8.125.25 T	120 x 120		1200	1200	1340	1340	2000	1900	230	235	300	330	330	76	1340	1667.5
	8.125.25 T	140 x 140		1400	1400	1590	1480	1995	2495	435	520	200	270	270	50	1590	2017.5
HAIRONVILLE ACIERBA (5.183.39 B)	5.183.39 B	160 x 160		1600	1600	1740	1740	2745	2280	225	225	300	502	502	76	1740	2055
	5.183.39 B	160 x 160		1600	1600	1740	1740	2745	2280	225	225	300	502	502	76	1740	2055
HAIRONVILLE HACIERCO (3.333.39 T)	3.333.39 T	100 x 100	Yes	1000	1000	1140	1140	2000	1655	215	200	300	430	430	76	1140	1447.5
	3.333.39 T	120 x 120	Yes	1200	1200	1340	1340	2000	1830	200	200	300	330	330	76	1340	1630
	3.333.39 T	140 x 140	Yes	1400	1400	1540	1540	2000	2060	215	205	300	230	230	76	1540	1850
	3.333.39 T	160 x 160	Yes	1600	1600	1740	1740	2000	2270	220	220	300	130	130	76	1740	2050
	3.333.39 T	070 x 100	Yes	700	1000	840	1140	990	1675	225	210	300	75	75	76	840	1457.5
	3.333.39 T	100 x 150	Yes	1500	1000	1640	1140	2000	1680	200	240	300	180	180	76	1640	1460
HAIRONVILLE HACIERCO (3.333.79 T)	3.333.79 T	100 x 200		2000	1000	2140	1140	2995	1675	230	200	300	427	427	76	2140	1460
	3.333.79 T	160 x 160		1600	1600	1740	1740	2645	2435	350	265	300	450	450	76	1740	2127.5
HAIRONVILLE HACIERCO (3.345.35 T)	3.345.35 T	100 x 100	Yes	1000	1000	1090	1085	2055	1640	220	270	190	480	480	30	1090	1395
	3.345.35 T	100 x 150	Yes	1500	1000	1540	1040	2065	2010	430	475	190	260	260	25	1540	1557.5
HAIRONVILLE HACIERCO (3.366.45 T)	3.366.45 T	100 x 100	Yes	1000	1000	1140	1140	2200	1680	215	220	300	530	530	76	1140	1462.5
	3.366.45 T	140 x 140	Yes	1400	1400	1540	1540	2200	2095	195	235	300	330	330	76	1540	1880
	3.366.45 T	100 x 200		2000	1000	2140	1140	3300	1680	220	220	300	580	580	76	2140	1460
HAIRONVILLE HACIERCO (5.180.43 T)	5.180.43 T	100 x 150		1500	1000	1640	1140	2700	2500	580	660	300	535	535	76	1640	1880
HAIRONVILLE HACIERCO (4.250.35 T)	4.250.35 T	100 x 100	Yes	1000	1000	1140	1140	2000	1700	225	230	300	430	430	76	1140	1472.5
	4.250.35 T	140 x 140	Yes	1400	1400	1540	1540	2000	2100	225	220	300	230	230	76	1540	1877.5
	4.250.35 T	070 x 100	Yes	700	1000	820	1120	1000	1600	190	240	200	90	90	50	820	1385
	4.250.35 T	100 x 150	Yes	1500	1000	1610	1100	2000	2100	440	500	200	195	195	60	1610	1630
ISOCAB IT (39.1000/4 R)	39.1000/4 R	160 x 160		1600	1600	1740	1740	2000	2300	230	235	300	125	125	76	1740	2067.5
MULTICOVERAL (GR5)	GR5	100 x 100		1000	1000	1140	1140	2000	1590	200	225	200	430	430	25	1140	1377.5
NERGAL (3.45.900)	900 x 45 x 3 T	140 x 140		1400	1400	1540	1540	1800	2325	350	350	300	120	120	76	1540	1975
NERGAL (1000 45 3 T)	1000 x 45 x 3 T	100 x 100	Yes	1000	1000	1140	1140	2000	1675	200	220	300	420	420	76	1140	1465
	1000 x 45 x 3 T	120 x 120	Yes	1200	1200	1340	1340	1995	1900	230	230	300	325	325	76	1340	1670
	1000 x 45 x 3 T	140 x 140	Yes	1400	1400	1540	1540	2000	2100	220	230	300	230	230	76	1540	1875
	1000 x 45 x 3 T	070 x 100	Yes	700	1000	810	1105	1000	1590	200	245	200	95	95	40	810	1367.5
	1000 x 45 x 3 T	100 x 150	Yes	1500	1000	1640	1140	2000	1790	225	275	300	180	180	76	1640	1540
NERVESCO (5.40.900 T)	3/06/04	120 x 120		1200	1200	1340	1340	1800	1985	225	320	300	230	230	76	1340	1712.5
NERVESCO (4.35.1030 T)	4.35.1030 T	140 x 140		1400	1400	1540	1540	2060	2100	220	240	300	260	260	76	1540	1870

BASE NAME	Reference	Available Dimensions Roof Version	Available Dimensions Version base + Adapter plate	Inside Dimensions Lower opening size		Inside Dimensions Top opening size		Bases Outside Dimensions		Cover Side Bottom		Height H (mm)	Cover Side		Top Water flow width R (mm)	TRIMMER-JOIST Dimensions	
				CA (mm)	CB (mm)	DB (mm)	DB (mm)	A (mm)	B (mm)	F (mm)	G (mm)		I (mm)	K (mm)		CHA (mm)	CHB (mm)
STEEL BASE PROFILE																	
 NERVESCO 1000 TS	1000 TS	100 x 100	Yes	1000	1000	1140	1140	2000	1665	215	200	300	435	435	76	1140	1457,5
	1000 TS	120 x 120		1200	1200	1340	1340	2000	1895	225	220	300	335	335	76	1340	1672,5
	1000 TS	140 x 140	Yes	1400	1400	1540	1540	1995	2070	210	215	300	235	235	76	1540	1857,5
	1000 TS	160 x 160	Yes	1600	1600	1740	1740	2000	2295	225	220	300	125	125	76	1740	2072,5
	1000 TS	070 x 100	Yes	700	1000	840	1140	980	1675	225	210	300	70	70	76	840	1457,5
	1000 TS	100 x 150	Yes	1500	1000	1640	1140	2000	1680	225	210	300	180	180	76	1640	1462,5
 NERVESCO (3.35.1000 T)	3.35.1000 T	100 x 100	Yes	1000	1000	1140	1140	1990	1675	220	210	300	420	420	76	1140	1460
	3.35.1000 T	120 x 120		1200	1200	1340	1340	2000	1880	215	220	300	330	330	76	1340	1662,5
	3.35.1000 T	140 x 140	Yes	1400	1400	1540	1540	2000	2070	215	215	300	225	225	76	1540	1855
	3.35.1000 T	160 x 160		1600	1600	1740	1740	2000	2280	215	220	300	125	125	76	1740	2062,5
	3.35.1000 T	070 x 100		700	1000	840	1140	1000	1700	225	225	300	75	75	76	840	1475
	3.35.1000 T	100 x 150		1500	1000	1640	1140	2000	1720	235	250	300	180	180	76	1640	1477,5
 PAB 1000 P (ancien 4.40.1000 P)	4.40.1000 T	120 x 120		1200	1200	1340	1340	2000	1895	220	230	300	330	330	76	1340	1670
 PINGARD	1000P	100 x 100	Yes	1000	1000	1140	1140	2000	1700	220	235	300	430	430	76	1140	1472,5
	1000P	120 x 120		1200	1200	1340	1340	2000	1900	220	235	300	330	330	76	1340	1672,5
 TECTONIA	1000.35	100 x 100		1000	1000	1140	1140	2000	1680	220	220	300	430	430	76	1140	1460
	1000.35	120 x 120		1200	1200	1340	1340	2000	1880	210	220	300	330	330	76	1340	1665
	1000.35	100 x 150		1500	1000	1600	1090	1990	1700	250	300	200	200	200	35	1600	1425
 Tole 76*18	76 x 18	100 x 100		1000	1000	1110	1070	1680	1640	220	280	200	280	320	70	1110	1390
	76 x 18	070 x 100		700	1000	740	1060	1200	1610	220	280	185	235	235	50	740	1360
ALU PROFILE																	
 ALUBAC (ALFAL)	10.100.24	100 x 100		1000	1000	1140	1140	2000	1640	200	224	300	415	415	76	1140	1428
 ALUFORM	29/124	140 x 140		1400	1400	1540	1540	1984	2100	230	230	300	222	222	76	1540	1870
 ALUFORM	45/150	100 x 100		1000	1000	1140	1140	1795	1715	230	240	300	300	325	76	1140	1480
 HAIRALU (3.333.40)	C1	100 x 100		1000	1000	1140	1140	2000	1700	235	235	300	430	430	76	1140	1465
FIBRO CEMENT PROFILE																	
 CANALIT (EVERITE)	235	100 x 100	Yes	1000	1000	1140	1140	2115	1685	225	220	300	487	487	76	1140	1462,5
	235	120 x 120		1200	1200	1340	1340	1655	2200	360	375	300	157	157	76	1340	1832,5
	235	140 x 140	Yes	1400	1400	1540	1540	2115	2200	270	270	300	287	287	76	1540	1930
 ETRURIA	4-260-35	100 x 200		2000	1000	2140	1140	3018	1690	215	240	300	525	525	76	2140	1462,5
 FIBRE DU HAINAUT	5-207-35	140 x 140		1400	1400	1540	1540	2070	2070	220	225	300	260	260	76	1540	1847,5
 GO (ETERNIT)	5 1/2	100 X 100		1000	1000	1140	1140	2114	1680	210	220	300	487	487	76	1140	1465
	5 1/2	120 X 120		1200	1200	1340	1340	2114	2480	470	550	300	387	387	76	1340	1970
	5 1/2	140 X 140		1400	1400	1540	1540	2114	2480	390	450	300	287	287	76	1540	2060
	5 1/2	070 X 100		700	1000	840	1140	1057	1700	220	230	300	103,5	103,5	76	840	1475
	5 1/2	100 X 150		1500	1000	1640	1140	2114	1680	220	230	300	237	237	76	1640	1455
 GO (ETERNIT)	5 1/2	100 x 200	Yes	2000	1000	2140	1140	2630	1670	210	220	300	245	245	76	2140	1455
	6 1/2	100 x 100	Yes	1000	1000	1140	1140	2114	1680	210	220	300	487	487	76	1140	1465
	6 1/2	120 x 120		1200	1200	1340	1340	2114	2480	470	550	300	387	387	76	1340	1970
	6 1/2	140 x 140		1400	1400	1540	1540	2114	2480	390	450	300	287	287	76	1540	2060
	6 1/2	160 x 160		1600	1600	1740	1740	2114	2490	310	325	300	187	187	76	1740	2172,5
	6 1/2	070 x 100		700	1000	840	1140	1057	1700	220	230	300	103,5	103,5	76	840	1475
	6 1/2	100 x 150		1500	1000	1640	1140	2114	1680	220	230	300	237	237	76	1640	1455
6 1/2	100 x 200	Yes	2000	1000	2140	1140	3340	1660	210	200	300	510	690	76	2140	1455	











BASE NAME	Reference	Available Dimensions Roof Version	Available Dimensions Version base + Adapter plate	Inside Dimensions Lower opening size		Inside Dimensions Top opening size		Bases Outside Dimensions		Cover Top	Side Bottom	Height	Cover Left	Side Right	Top Water flow width	TRIMMER-JOIST Dimensions	
				CA (mm)	CB (mm)	DB (mm)	DB (mm)	A (mm)	B (mm)	F (mm)	G (mm)	H (mm)	I (mm)	K (mm)	R (mm)	CHA (mm)	CHB (mm)
FIBRO CEMENT PROFILE																	
MAXI PLAQUE (EVERITE)		140 x 140		1400	1400	1540	1540	2036	2260	300	340	300	248	248	76	1540	1940
		100 x 150		1500	1000	1640	1140	2030	1750	235	250	300	195	195	76	1640	1507,5
PST	190	100 x 100		1000	1000	1140	1140	1900	2190	495	460	300	380	380	76	1140	1712,5
	190		140 x 140	1400	1400	1720	1520	1900	2240	290	370	200	100	100	50	1720	1910
PST	230	100 x 100	Yes	1000	1000	1140	1140	1610	2200	460	480	300	235	235	76	1140	1730
	230		140 x 140	1400	1400	1430	1430	2220	2220	325	345	190	440	350	76	1430	1885





The base fixations should be only done on top of the wave with staples on the trimmer-joist or purlin



TRIMMER-JOIST REQUIRED
NORM NF P 37-417 novembre 1993

BASE NAME	Reference	Available Dimensions New moulds	Available Dimensions Old moulds	Inside Dimensions Lower opening size		Inside Dimensions Top opening size		Bases Outside Dimensions		Cover Top	Side Bottom	Height	Cover Left	Side Right	Top Water flow width	TRIMMER-JOIST Dimensions		
				CA (mm)	CB (mm)	DB (mm)	DB (mm)	A (mm)	B (mm)	F (mm)	G (mm)	H (mm)	I (mm)	K (mm)	R (mm)	CHA (mm)	CHB (mm)	
INSULATED BASE PROFILE																		
GLAMET (40.1000/4) 	E	100 x 100	Yes	1000	1000	1140	1140	2000	1680	215	225	300	410	410	76	1940	1420	
	E			1200	1200	1310	1310	2000	2500	550	595	200	330	330	30	1940	2240	
	E	140 x 140	Yes	1400	1400	1540	1540	2000	2110	215	255	300	215	215	76	1940	1850	
	E			1600	1600	1710	1710	1990	2280	220	245	300	130	130	76	1930	2020	
	E			070 x 100	700	1000	720	1020	995	1630	240	295	185	155	120	60	935	1370
	E			100 x 150	1500	1000	1580	1090	2000	1600	190	285	200	195	195	20	1940	1340
	E	100 x 200		2000	1000	2140	1140	3000	1705	230	230	300	415	415	76	2940	1445	
HUURE IBERICA (BATITHANE) 	HI CT	140 x 140		1400	1400	1540	1540	2280	2100	220	245	300	360	360	76	2220	1840	
ISODUPEX (4.250.40) 	1000	140 x 140	Yes	1400	1400	1540	1550	1995	2090	225	230	300	215	215	60	1935	1830	
ISOSTEEL (1000.35) 	1000.35			1500	1000	1570	1060	1990	1700	250	315	200	200	200	35	1930	1440	
ISOSTEEL (1000.45) 	1000.45	100 x 100		1000	1000	1030	1020	1990	1580	245	265	200	465	465	35	1930	1320	
	1000.45	140 x 140		1400	1400	1555	1550	2000	2040	180	240	200	205	205	55	1940	1780	
	1000.45	070 x 100		700	1000	780	1075	1000	1590	200	260	200	95	95	40	940	1330	
	1000.45	100 x 150		1500	1000	1585	1090	2000	1795	290	355	200	195	195	45	1940	1535	
ONDATHERM (3.45.1000) 	101	100 x 100	Yes	1000	1000	1140	1140	2000	1700	230	239	300	415	415	76	1940	1440	
	101	120 x 120		1200	1200	1340	1340	2000	1900	220	235	300	295	295	76	1940	1640	
	101			1400	1400	1480	1480	2000	2080	230	315	200	240	240	40	1940	1820	
	101			1600	1600	1720	1720	2000	2300	215	290	215	125	125	60	1940	2040	
	101			070 x 100	700	1000	720	1010	975	1580	220	290	150	115	115	45	915	1320
	101			100 x 150	1500	1000	1505	1020	2000	1600	260	275	200	215	200	30	1940	1340
ONDATHERM (3.35.1000) 	201			1000	1000	1140	1140	2000	1800	270	285	300	415	415	76	1940	1540	
	201	100 x 100	Yes	1200	1200	1350	1340	2000	2050	285	325	300	310	310	76	1940	1790	
	201	120 x 120		1400	1400	1540	1540	2000	2075	215	225	300	210	210	76	1940	1815	
	201	140 x 140	Yes	1600	1600	1720	1720	2000	2075	215	225	300	210	210	76	1940	1815	
PROMISOL 	1001 TS	100 x 100	Yes	1000	1000	1140	1140	2000	1700	225	225	300	415	415	76	1940	1440	
	1001 TS			1200	1200	1285	1260	2010	2005	330	355	210	300	300	45	1950	1745	
	1001 TS	140 x 140	Yes	1400	1400	1540	1540	1995	2061	210	220	300	205	205	76	1935	1801	
	1001 TS			1600	1600	1650	1650	2000	2290	270	325	200	160	160	30	1940	2030	
	1001 TS			070 x 100	700	1000	840	1140	1000	1770	235	315	200	65	65	65	940	1510
	1001 TS			100 x 150	1500	1000	1570	1095	2000	2100	420	505	200	200	200	60	1940	1840
(Panneau) ECO 	33.250.1000	100 x 100		1000	1000	1140	1140	1990	1705	230	240	300	410	410	76	1930	1445	
THERMASTEEL T 	1000.40	100 x 100		1000	1000	1140	1140	2000	1686	220	235	300	415	415	76	1940	1426	
	1000.40	120 x 120		1200	1200	1340	1340	2000	1900	220	240	300	315	315	76	1940	1640	
	1000.40	140 x 140		1400	1400	1540	1540	2000	2100	220	235	300	215	215	76	1940	1840	



The base fixations should be only done on top of the wave with staples on the trimmer-joist or purlin

